

	2.0 200 CV AT8 AWD	2.2 180 CV AT8 RWD
ENGINE		
No. of cylinders, layout	4, in line	4, in line
Displacement (cm ³)	1995	2143
Bore x stroke (mm)	84x90	83x99
Valves per cylinder	4	4
Compression ratio	10:1	15,5:1
Max. power kW @ rpm	148 KW @ 4500	133 KW @ 3750
Max. torque Nm @ rpm	330 NM@ 1750	450 NM@ 1750
Fuel type	PETROL	DIESEL
GEARBOX		
Drive	All Wheel Drive	Rear Wheel Drive
Gearbox	8-speed automatic	8-speed automatic
1a	5,000	5,000
2a	3,200	3,200
3a	2,143	2,143
4a	1,720	1,720
5a	1,314	1,314
6a	1,000	1,000
7a	0,822	0,822
8a	0,640	0,640
Reverse	3,456	3,456
Final drive ratio	3,73	3,27
PERFORMANCE		
Acceleration: 0-100 km/h (s)	7,2	7,6
Top speed (km/h)	215	210
CONSUMPTION AND EMISSIONS		
Emission standard	Euro 6b	Euro 6b
Fuel consumption - urban (l/100km)	8,9	5,5
Fuel consumption - extra-urban (l/100km)	5,9	4,3
Fuel consumption - combined (l/100km)	7	4,7
CO ₂ emissions - urban (g/km)	205	145
CO ₂ emissions - extra-urban (g/km)	136	114
CO ₂ emissions - combined (g/km)	161	124
WEIGHT AND DIMENSIONS		
Kerb weight STD A (kg)	1660	1604
Towing capacity with brakes (kg)	2000	1700
Towing capacity without brakes (kg)	750	750
Height (mm)	1671	1666

Width (mm)	1903 (excl. mirrors)	1903 (excl. mirrors)
Length (mm)	4687	4687
Wheelbase (mm)	2818	2818
Load capacity (l) with seats in position and tire kit	525	525
Fuel tank (litres)	64L	58L / 64L opt
OTHERS		
Turning circle diameter (m)	11,7	11,7
Steering Ratio	12	12
Wading depth (mm)	480	480